



**ARIDOS Y HORMIGONES
PEREZ JIMENEZ, S.L.**

TEL: 950 42 04 47

www.aridosperez.com

DECLARATION OF PERFORMANCE



(1) No. 0001-CE-2013/07/01

(2) Name and identification code		(3) Intended uses								(9) declared performances	
code and trade name	1 of 2 identification	EN 12620	EN 13139	EN 13043	EN 13242	EN 13450	EN 13383-1	EN 13055-1	EN 13055-1	conditions specific applicable to use	see attached pages identical to the CE marking
		(a) (*)	(b)	(c)	(d)	(e)	(f)	(g)	(h)		
(1) Extra-fine sand	AF-T-0/2-D	X	X							excluding use in wearing courses	
(2) Fine sand	AF-T-0/2-D	X									
(3) Coarse sand	AF-T-0/4-D	X	X	X							
(17) Coarse sand	AG-T-0/6-D			X							
(23) Small Gravel 2/6	AG-T-2/6-D	X		X							
(4) Gravel 6/12	AG-T-6/12-D	X		X							
(5) Gravel 11/22	AG-T-11/22-D	X		X							
(19) Gravel 16/32	AG-T-16/32-D			X							
(6) Gravel 20/40	AG-T-20/40-D			X							
(13) Artificial graded aggregate	AG-T-0/40-D				X						

(*) except for concrete pavements

(a) EN 12620:2002 +A1 - Aggregates for concrete

(b) EN 13139:2002 AND EN 13139:2002 /AC:2004 - Aggregates for mortars

(c) EN 13043:2002 and EN 13942:2002/AC:2004 Aggregates for bituminous mixtures and surface treatments for roads, airports and other paved areas

(d) EN 13242:2002 +A1:2007 Aggregates for granular layers and layers treated with hydraulic binders for use in structural pavement layers

(e) EN 13450:2002 +AC:2004 - Aggregates for railway ballast

(f) EN 13383-1:2002 and EN 13383-1:2002 / AC:2004 - Armourstone Part 1: Specifications

(g) EN 13055-1:2002 and EN 13055-1:2002 / AC:2004 - Lightweight aggregates Part 1: Lightweight aggregates for concrete, mortar and grout

(h) EN 13055-2:2004 - Lightweight aggregates Part 2: Lightweight aggregates for bituminous mixtures, surface treatments and applications in bound and unbound layers

(4) Name and contact address of the manufacturer and of the production plant	Áridos y Hormigones Pérez Jiménez S.L. Virgen del Socorro St. 137 04880 Tijola (Almería) Cerro Juan Felipe Quarry 04887 Lucar, Almería
--	---

(6) System of assessment and verification of constancy of performance: System 2+

(7) The notified body AENOR No. 0099 has issued the certificate of conformity of factory production control No. 0099/CPR/A60/0267 dated 25-10-2004 under system 2+, after carrying out the initial inspection of the production plant and factory production control as well as the continuous surveillance, supervision and assessment of factory production control.

(9) The declared performances are set out in the attached sheets, which are identical to the CE marking.

(10) The performances of the products identified in points (1) and (2) (see table above) conform to the performances declared in (9) (information attached on the following pages)

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4

(2) Name and identification code		(3) Intended uses							(9) declared performances
code and trade name	1 of 2 identification	EN 146160 (i)						conditions specific applicable to use	see pages attached identical to the CE CE
(22) Fine gravel 2/3 Grey Macael	AG-T-2/3-D	X						excluding use in wearing courses	
(23) Fine gravel 2/6 Grey Macael	AG-T-2/6-D	X							
(27) Fine gravel 6/12 Grey Macael	A6-T-6/12-D	X							

(e) EN 146160:2025 - Aggregates for non-harmonised uses

(6) System of assessment and verification of constancy of performance: System 4+

Signed for and on behalf of the manufacturer

Antonio Pérez García (Operations Manager)

In Tijola (Almería), 11 May 2026



